


EtherNet/IP USER'S GUIDE

ACSI Servo Motor/Drive/Controller



ACS Servo Drive and ACS Stepper Drive are DISCONTINUED. Replacements are not available. For legacy ACS drives use this manual for reference only.

ACSI Motor/Drive/Controllers with EtherNet/IP, Modbus and Basic continue with full Tolomatic Support



EtherNet/IPTM

3600-4168_15

LINEAR SOLUTIONS MADE EASY

Tolomatic reserves the right to change the design or operation of the equipment described herein and any associated motion products without notice. Information in this document is subject to change without notice.

Copyright © 2022 Tolomatic, Inc. All rights Reserved.

All brand and product names are trademarks of their respective owners. Information in this document is believed to be accurate at time of publication.

202204121128

Contents

EtherNet/IP Overview	6
1.1 Introduction	6
1.2 Network	6
1.3 Definitions	6
1.4 Layer Structure	8
1.5 Supported Features of EtherNet/IP	8
1.6 Recommended Implementation and Alerts	8
1.6.1 Case #1: PLC sending CIP I/O messages through switch with star topology	9
1.6.2 Case #2: PLC sending CIP I/O and CIP Motion messages through switch with star topology	9
1.6.2.1 Case #2.5: PLC sending CIP I/O and CIP Motion messages through switch with star topology	10
1.6.2.2 What is VLAN?	11
1.6.3 Case #3: PLC sending CIP I/O messages to daisy chain of ACS drives and other EtherNet/IP devices	11
1.6.4 Case #4: PLC sending CIP I/O and CIP Motion messages to daisy chain of ACS drives and other EtherNet/IP devices	12
1.6.5 Case #5: PLC sending CIP Motion messages in Rockwell device level ring (DLR) with ACS drive connected with a 1783-ETAP device	12
1.6.6 Case #6: AB PLC with CIP I/O and CIP Motion devices through switch	13
1.6.7 Case #7: AB PLC with CIP I/O and CIP Motion/Sync devices in Device Level Ring (DLR) network topology	14
1.7 References	14
ACS EtherNet/IP Requirements	15
2.1 Ethernet Cabling	15
2.2 Cabling	15
2.3 Tolomatic Motion Interface (TMI) Requirement	16
2.4 Add-On Instructions	16
EtherNet/IP & I/O Connections	17
3.1 Data Types	17
3.2 Input Assembly	18
3.3 Output Assembly	20
Explicit Messaging	22
4.1 Identity Object (01HEX - 1 Instance)	22
4.2 Assembly Object	23
4.3 DLR Object (47HEX - 1 Instance)	24
4.4 TCP/IP Object (F5HEX - 1 Instance)	24
4.5 EtherNet/IP Link Object (F6HEX - 1 Instance)	25
4.6 QoS Object (48HEX - 1 Instance)	25
Appendix A: Troubleshooting	27
Appendix B: ODVA Declaration of Conformity	29

List of Figures

Figure 1-1: EtherNet/IP Network Example.....	6
Figure 1-2: ACS & ACSI Drive as an Adapter Device.....	7
Figure 1-3: EtherNet/IP Layer Structure with the ACS Drive as the User Device Profile.....	8
CASE #1: PLC with only CIP I/O messages → switch → star topology of ACS drives and other EtherNet/IP devices	9
CASE #2: PLC with CIP I/O and CIP Motion messages → switch → star topology of ACS drives and other EtherNet/IP devices.....	9
CASE #2.5: PLC sending CIP I/O and CIP Motion messages through switch with star topology.....	10
Figure 1-4: VLAN Diagram.....	11
CASE #3: PLC with only CIP I/O messages → daisy chain topology of ACS drives and other EtherNet/IP devices	11
CASE #4: PLC with CIP I/O and CIP Motion messages → daisy chain topology of ACS drives and other EtherNet/IP devices.....	12
CASE #5: PLC sending CIP Motion messages in Rockwell device level ring (DLR) with ACS drive connected with a 1783-ETAP device	12
CASE #6: AB PLC with CIP I/O and CIP Motion devices through switch.....	13
CASE #7: PLC sending CIP Motion messages in Rockwell device level ring (DLR) with ACSI motor/drive/controller	14
Figure 3-1 EtherNet/IP I/O Assembly.....	17

List of Tables

Contents

Table 2-1: Cable Wire Type Versus Cable Length	15
Table 3-1: Data Types	17
Table 3-2: ACS EtherNet/IP Input Assembly	18
Table 3-3: ACS Drive Status	18
Table 3-4: ACS Drive Faults.....	18
Table 3-5: ACS Servo Drive/ACSI Remappable Registers.....	19
Table 3-6: ACS Stepper Drive Remappable Registers.....	19
Table 3-7: ACS EtherNet/IP Output Assembly.....	20
Table 3-8: ACS EtherNet/IP Full Output Assembly	20
Table 3-9: ACS EtherNet/IP Move Values and Descriptions	21
Table 4-1: Message Objects	22
Table 4-4: Assembly Object (04 _{HEX} - 6 Instances)	23
Table 4-5: Assembly Objects Common Services	23
Table 4-6: DLR Object (47 _{HEX} - 1 Instance).....	24
Table 4-7: TCP/IP Object (0xF5 _{HEX} - 1 Instance).....	24
Table 4-8: TCP/IP Object Common Services	25
Table 4-9: Ethernet Link Object (0xF6 _{HEX} - 1 Instance).....	25
Table 4-10: TCP/IP Object Common Services	25
Table 4-11: QoS Object (48 _{HEX} - 1 Instance)	25
Table 4-12: QoS Object's common services	26
Table 4-13: EtherNet/IP LED Indicators	26

1.1 Introduction

EtherNet/IP has been instrumental in realizing high performance and advanced automating manufacturing applications. Common Industrial Protocol (CIP) has enabled the enterprise for:

- Interoperability between legacy, multi-vendor internet technologies
- Near real-time network performance (including low latency, low jitter, and minimal packet loss)
- Security
- Reliability
- Manageability and ease-of-use features
- Ability to add innovative technologies such as mobile technologies

EtherNet/IP provides comprehensive messaging and services for control, safety, synchronization, motion, configuration and information that creates unified communication across manufacturing enterprise.

NOTE: This document is intended to provide information on the EtherNet/IP protocol only. Please reference the ACS Hardware/Installation Guide for all electrical and hardware installation procedures, specifications, and safety instructions when operating the ACS Drive. **EtherNet/IP**

Tolomatic's implementation of EtherNet/IP connectivity conforms to the Open Systems Interconnection (OSI) model which defines the framework of implementing network protocols in seven layers. For more information regarding EtherNet/IP and CIP functionality and conformation standards as regulated by the ODVA, visit their website at www.odva.org.

The ACS drive is ODVA certified.



1.2 Network

A typical EtherNet/IP network forms several point-to-point connections. A typical network in a factory would comprise of variety of complex devices such as HMIs, PLCs, motion controllers, bar code scanners to simple devices such as I/O. This configuration is represented in Figure 1-1.




Figure 1-1: EtherNet/IP Network Example

1.3 Definitions

The following definitions provide a general context for terms used in this guide in the EtherNet/IP implementation:

Device: A device is considered any product that supports the EtherNet/IP encapsulation of CIP.

Connection: A connection is a logic link between two devices that may share more than one connection.

Scanner: A master or controlling device that initiates a request or connection.

Adapter: A device that receives a connection request or an individual service request. Multiple adapters can be connected to one scanner on a network. The ACS drive is an adapter device (see Figure 1-2).

Assembly: A collection of pre-defined data that resides in an adapter. Each datapoint is identified by its own unique instance number, size and type. There are three types of assemblies: producing (data to be sent); consuming (data to be received); and configuration (how the data is to be consumed and interpreted).




Figure 1-2: ACS & ACSI Drive as an Adapter Device.

Explicit Messaging Connection: A connection used for individual request/ response transactions that are handled in the EtherNet/IP protocol via TCP.

For example, an explicit connection request from a scanner device results in a response from the adapter device indicating a successful or failed request. If data payload was part of the request, this information would also be included.

Requests from a scanner device is called a service request and these requests are identified by one-byte service codes inside the request packet. CIP specifications define the meaning of the majority of these service codes however, codes 0x4B through 0x63 have meanings specific to the destination object of the service request.

Service request destinations are defined by a portion of the request packet, or path that is either an object description or an ASCII character string. The adapter device receiving a service request distinguishes between an object description path ASCII character string path by the path's header bytes.

Class (type of object reference), instance (object of the type), and the attribute numbers inside the path identify a request to an object. For example, a mixed carton of oatmeal contains 24 packages (objects) and are considered instances 1 through 23. Each object can have multiple attributes. In this example, the carton contains 6 different flavors or attributes 1 through 6. An example service request from a scanner would be to ask for the flavor of package or object number 12. Explicit message commands or data requests can also be sent from the scanner to individual target nodes via connected or unconnected messages. A connected message establishes a formal CIP connection between devices that allows each device to detect and report either established or failed connections. Unconnected messages are managed by the internal stack's Unconnected Message Manager (UCMM) and does not establish a periodic explicit connection.

Implicit or I/O Connection: A connection that establishes a periodic exchange of data between a scanner and adapter. A repetition packet interval or RPI (normally expressed in milliseconds) is established by the scanner device in both directions. An I/O connection request also establishes the size of each assembly and the instance numbers of the assembly types (producing, consuming and configuration). To allow the adapter to interpret subsequent data exchange, an I/O connection may also contain data destined for the adapter's configuration assembly. In EtherNet/IP the I/O connection itself is established via TCP but the subsequent exchange of data uses UDP.

An I/O connection also determines how the adapter device should send its data, either point-to-point (addressed to the scanner only) or multicast (address group that includes the scanner), and allows other devices on the network to receive data from the adapter. NOTE: If the data is sent via multicast, the adapter device itself must

support multicast or the connection will fail.

Both, explicit service requests and implicit I/O connections allow scanner access to parameters, however the process differs. Typically, the scanner device utilizes HMI or PLC software such as Allen Bradley's ControlLogix. PLC's normally will make both explicit and I/O connections.

1.4 Layer Structure

Figure 1-3 below shows the seven layers of protocol implementation. Tolomatic's ACS Drive user device profile resides on the seventh layer.




Figure 1-3: EtherNet/IP Layer Structure with the ACS Drive as the User Device Profile


1.5 Supported Features of EtherNet/IP

ACS Servo, Stepper and Integrated drives support EtherNet/IP using CIP I/O messaging (implicit as well as explicit messaging). This allows Rockwell Automation / Allen Bradley ControlLogix and CompactLogix PLCs (as well as other manufacturers PLCs or controllers) to command ACS drives over EtherNet/IP with CIP I/O messages. The ACS drives do not directly support CIP Motion or CIP Sync (both these are trademarked by ODVA) messages over EtherNet/IP. The ACS Servo, Stepper, & Integrated drives support QoS (Quality of Service) and have an integrated managed switch to support star and straight line daisy chain topology from managed or unmanaged switches. Additionally the ACS Integrated drive (ACSI) supports Device Level Ring (DLR) EtherNet/IP feature, ring topology, and can be easily integrated into CIP Motion / CIP Sync networks.

1.6 Recommended Implementation and Alerts

With Ethernet networks, there are many different ways to connect devices, many different ways to configure devices, and many different types of messages/ protocols. Due to the infinite network configurations, it is not possible to document all scenarios and cases. This section describes some more common ways that the ACS drive family can be deployed in an EtherNet/IP network along with recommendations and alerts to achieve optimal performance.


1.6.1 Case #1: PLC sending CIP I/O messages through switch with star topology



CASE #1: PLC with only CIP I/O messages → switch → star topology of ACS drives and other EtherNet/IP devices

RECOMMENDATION: Utilize star topology for best network performance and response time / quality from ACS Servo & Stepper drive.

1.6.2 Case #2: PLC sending CIP I/O and CIP Motion messages through switch with star topology




CASE #2: PLC with CIP I/O and CIP Motion messages → switch → star topology of ACS drives and other EtherNet/IP devices

RECOMMENDATION: For the ACS Servo & ACS Stepper If CIP I/O and/or CIP Motion messages are present on the same network, it is recommended to utilize a VLAN to logically separate CIP I/O EtherNet/IP (see Case #2.5). This recommendation is not necessary for the ACS Integrated drive (ACSI)

RECOMMENDATION: If CIP I/O and/or CIP Motion messages are present on the same network, it is recommended to configure PLC to send CIP I/O messages as Unicast and CIP Motion messages as Multicast.

This recommendation is **not** necessary for the ACS Integrated drive (ACSI).

1.6.2.1 Case #2.5: PLC sending CIP I/O and CIP Motion messages through switch with star topology



CASE #2.5: PLC sending CIP I/O and CIP Motion messages through switch with star topology

RECOMMENDATION: It is recommended to use a VLAN as best practice in this case to avoid unpredictable network behavior. See Case #2 for more information. This recommendation is **not** necessary for the ACS Integrated drive (ACSI).

RECOMMENDATION: If CIP I/O and/or CIP Motion message are present on same network, it is recommended to configure PLC to send CIP I/O message as Unicast and CIP Motion messages as Multicast. This recommendation is **not** necessary for the ACS Integrated drive (ACSI).

1.6.2.2 What is VLAN?

Virtual Local Area Networks are used to divide a physical network into several broadcast domains, separating hosts that shouldn't access each other.





Figure 1-4: VLAN Diagram

1.6.3 Case #3: PLC sending CIP I/O messages to daisy chain of ACS drives and other EtherNet/IP devices




CASE #3: PLC with only CIP I/O messages → daisy chain topology of ACS drives and other EtherNet/IP devices

RECOMMENDATION: In daisy chain, the ACS drive cannot guarantee recovered communication if a network cable is broken or unplugged. It is recommended to design your system such that all drives can be power cycled at the same time. This recommendation is **not** necessary for the ACS Integrated drive (ACSI).

RECOMMENDATION: Daisy chaining a large number of ACS drives can create additional network latencies. The number of ACS drives that can be daisy chained in a particular network is highly dependent on the polling rate of the PLC, additional devices, other network traffic and many other variables. It is recommended to test network speed and minimize number of ACS drives in each daisy chain to ensure optimal performance. This recommendation is **not** necessary for the ACS Integrated drive (ACSI).


1.6.4 Case #4: PLC sending CIP I/O and CIP Motion messages to daisy chain of ACS drives and other EtherNet/IP devices



CASE #4: PLC with CIP I/O and CIP Motion messages → daisy chain topology of ACS drives and other EtherNet/IP devices

NOT SUPPORTED: The ACS Servo and Stepper drives are not able to reliably pass CIP Motion and CIP Sync messages in high network traffic instances. The ACS Integrated (ACSI) is **not** affected by network traffic and can be deployed on the network in such a manner.

1.6.5 Case #5: PLC sending CIP Motion messages in Rockwell device level ring (DLR) with ACS drive connected with a 1783-ETAP device



CASE #5: PLC sending CIP Motion messages in Rockwell device level ring (DLR) with ACS drive connected with a 1783-ETAP device

RECOMMENDATION: An ETAP device is required to be used to attach the ACS Servo & Stepper drive and other CIP I/O devices in order to avoid unpredictable network behavior. A suggested ETAP device is the Rockwell 1783-ETAP device. See below for further information on the 1783-ETAP device.

1: OVERVIEW


<https://www.odva.org/tabid/154/ctl/Detail/mid/520/xmid/28708/xmfid/8/Default.aspx>

This device is **not** required for the ACS Integrated drive (ACSI) as it supports Device Level Ring (DLR) implementation.

RECOMMENDATION: If CIP I/O and/or CIP Motion message are present on same network, it is recommended to configure PLC to send CIP I/O message as Unicast and CIP Motion messages as Multicast. This recommendation is **not** necessary for the ACS Integrated drive (ACSI).

ALERT: The ACS Servo & Stepper drive by itself does not support DLR feature of EtherNet/IP. A 1783-ETAP device is required in order to not interrupt the CIP Motion messages in Rockwell DLR topology. The ACS drive can be daisy chained off of the 1783-ETAP device as well as other CIP I/O devices. When the ACS and other CIP I/O devices are in this configuration, even with the 1783-ETAP device, they will not provide DLR feedback when the chain is broken. They will act as if they are in a daisy chain configuration. This device is **not** required for the ACS Integrated drive (ACSI) as it supports Device Level Ring (DLR) implementation.

1.6.6 Case #6: AB PLC with CIP I/O and CIP Motion devices through switch




CASE #6: AB PLC with CIP I/O and CIP Motion devices through switch

RECOMMENDATION: It is recommended to use a Vlan as best practice in this case to avoid unpredictable network behavior. See Case #2 for more information. This recommendation is **not** necessary for the ACS Integrated drive (ACSI).

RECOMMENDATION: If CIP I/O and/or CIP Motion message are present on same network, it is recommended to configure PLC to send CIP I/O message as Unicast and CIP Motion messages as Multicast. This recommendation is **not** necessary for the ACS Integrated drive (ACSI).

1.6.7 Case #7: AB PLC with CIP I/O and CIP Motion/Sync devices in Device Level Ring (DLR) network topology



CASE #7: PLC sending CIP Motion messages in Rockwell device level ring (DLR) with ACSI motor/drive/controller

RECOMMENDATION: The ACS Integrated servo drive (ACSI) fully supports Device Level Ring (DLR) over EtherNet/IP. This is the recommended network topology for applications requiring the highest level of redundancy.

NOT SUPPORTED: The ACS Servo & Stepper drive do not support Device Level Ring (DLR) over EtherNet/IP without the use of a 1783-ETAP device as an entry point to the network.

1.7 References

- {1} The CIP Network Library Volume 1: Common Industrial Protocol, Edition 3.10, April 2011
- {2} The CIP Network Library Volume 2: EtherNet/IP Adaptation of CIP, Edition 1.11, April 2011

2.1 Ethernet Cabling

The ACS Stepper and Servo drive use standard RJ45 connectors and network CAT5 style cables. ACSi uses circular M12 D-code 4 pin connectors. Please refer to the hardware manuals for further cable information (Hardware and Installation Guide; ACS Stepper: 3604-4183; ACS Servo: 3604-4181; ACSi: 3604-4185) See appendix for network cable type and length specification.

2.2 Cabling

The selection of cable has a profound impact on network performance and reliability. Selecting the correct cable requires an understanding of the environment where the cable is installed.

Due to high data rate and reliability considerations, at the minimum, Cat5e cables should be used with the ACS drive. If the cables are made on site, they must be tested to meet performance criteria set according to TIA/EIA-568-B standard. This cable definition is the general cable requirements for copper and fiber cabling installations.

EtherNet/IP specifications limit the channel to 100 meters or up to 90 meters horizontal wiring with two 4-meter patch cords. Some applications will require longer patch cords. In these applications the total length of horizontal wiring must be adjusted to compensate for the added loss of each connector pair and additional patch cord length beyond 10m.

$$C = \frac{(102-H)}{(1+D)} (1)$$

Where:

C is the maximum combined length (m) of the work area cable, equipment cable, and patch cord.

H is the length (m) of the horizontal cable ($H + C \leq 100$ m).

D is a de-rating factor for the patch cord type (0.2 for 24 AWG UTP/24 AWG ScTP and 0.5 for 26 AWG ScTP). The derating factors are based on COMMERCIAL cables. Other constructions, such as high flex, may have different performance. Consult the manufacturer for information.

W is the maximum length (m) of the work area cable.

T is the total length of horizontal, patch and equipment cords.

The maximum stranded cable length is limited to 85mm for the channel with the standard 20% derating for standard stranded cables.

WIRE TYPE VERSUS LENGTH					
PATCH CABLE GAUGE	D	H	W	C	T
	PATCH DERATING	HORIZONTAL LENGTH (H+C≤100M)	PATCH LENGTH	TOTAL LENGTH PATCH AND EQUIPMENT	TOTAL LENGTH OF PATCH, EQUIPMENT AND HORIZONTAL
#24	0.2	100	0	0	100
#24	0.2	0	80	85	85
#24	0.2	25	59	64	89
#24	0.2	50	38	43	93
#26	0.5	0	63	68	68
#26	0.5	25	46	51	76
#26	0.5	50	30	35	85
#26	0.5	100	0	0	100

Table 2-1: Cable Wire Type Versus Cable Length

Please refer to Section 8-9.2.3.6 of the ODVA EtherNet/IP Standard v. 1.11 for additional information.

2.3 Tolomatic Motion Interface (TMI) Requirement

The TMI is used to configure the ACS Drive including setting up the Ethernet port. See [TMI User Guide #3600-4167](#) for complete information on configuration using TMI.

2.4 Add-On Instructions

The Add-On Instructions Zip file contains an EDS file which can be used to configure the ACS drive. Tech Note, ACS(I) & Allen Bradley RS Logix 5000 EtherNet/IP Setup #3600-4193 describes this process, available at www.tolomatic.com.

(3604-3188) is the part number for the ACSI motor/drive/controller EDS file.

The ACS drive will only allow two I/O connections. The ACS drive responds to connection and service requests from a scanner and no commands or parameters from the drive are required to allow these connections. However, certain commands and parameters from the ACS drive allow a user or program to monitor the status and descriptions of the connections.

An implicit or I/O connection sets up the periodic exchange of data between the ACS drive and the data tags in scanner memory. These data tags are collectively referred to as assemblies. Setting up these assemblies is normally part of the PLC configuration process and separate from the PLC ladder programming.

An I/O messaging service request may result from a software driver implementation (such as EIP Scan from Pyramid Systems), or may be part of a message box inside a ladder rung of a PLC program. Service requests always contain a code which specifies what is being requested, and a path which specifies destination object of request. The paths of some of these service codes supported in the ACS drive may take the form of an ASCII character string or tag. Other paths will require specification of class, instance and attribute.

Input and output directions are from the perspective of scanner device. Input assemblies are consumed by scanner devices and produced by adapter devices. Output assemblies are produced by a scanner device and consumed by an adapter device. Refer to Figure 3-1.

Output assemblies are commonly used for controlling the enable/disable state of the drive and for supplying the velocity or position reference.

Input assemblies are commonly used to monitor the drive status and run-time quantities such as current position and faults.




Figure 3-1 EtherNet/IP I/O Assembly

3.1 Data Types

Data Types used in this Object Model are described in Table 3-1 below.

DATA TYPE	DESCRIPTION
USINT	Unsigned Short Integer (8-bit)
UINT	Unsigned Integer (16-bit)
UDINT	Unsigned Double Integer (32-bit)
SHORT STRINGnn	Character String (1st byte is length; up to nn characters)
WORD	Bit String (16-bits)
DWORD	Bit String (32-bits)
REAL	IEEE 32-bit Single Precision Floating Point

Table 3-1: Data Types

3.2 Input Assembly

INSTANCE	ATTRIBUTE ID	BYTES	TYPE	VALUE
Input (T->O) Instance 100	1	0-3	REAL	Current Position (mm)
		4-7	DWORD	Drive Status (32 bitmap status)
		8-11	DWORD	Drive Faults (32 bitmap faults)
		12-15	DWORD	Digital Input (8 bits used out of 32)
		16-19	DWORD	Digital Output (4 bits used out of 32)
		20-23	REAL	Analog Input (Remappable Register 1*)
		24-27	REAL	Analog Output (Remappable Register 2*)

*As of ACSI Firmware Version 1.7 +
ACS Stepper Firmware Version 1.8 +
ACS Servo Firmware Version 1.20 +

Table 3-2: ACS EtherNet/IP Input Assembly

ACS DRIVE STATUS	
BIT	DESCRIPTION
0	Drive Enable: 0 = Not Enabled; 1 = Enabled
1	Drive Homed: 0 = Not Homed; 1 = Homed
2	Drive In Motion: 0 = Motion Complete; 1 = In Motion
3	Software Stop: 0 = OFF; 1 = ON
4-19	(internal use)
20	Brake Not Active (0 - Brake Active)
21-25	(internal use)
26	Drive In Position: 1 = In Commanded Position
27-30	(internal use)
31	Drive Control: 0 = OFF (I/O, CTROFF), 1 = ON (Host, CTRON)

Table 3-3: ACS Drive Status

ACS DRIVE FAULTS	
BIT	DESCRIPTION
0	Positive Limit
1	Negative Limit
2	Software Stop
3	Position Error
4	Feedback Error
5	Overcurrent
6	Motor Overtemperature
7	Drive Overtemperature

ACS DRIVE FAULTS	
BIT	DESCRIPTION
8	Drive OverVoltage
9	Drive UnderVoltage
10	Flash Error
11	I2T Limit
12	Short Circuit
13	Watchdog Reset
14	Velocity Error
15-31	(internal use)

**ACS Servo Drive /
ACSI**

Table 3-4: ACS Drive Faults

ACS SERVO DRIVE/ACSI REMAPPABLE REGISTERS
Analog Input (Default Register 1)
Analog Output (Default Register 2)
Actual Position
Actual Position Error
Actual Velocity
Actual Velocity Error
Actual Current
Commanded Position
Commanded Velocity (Trajectory)
I2T Accumulation Value*
I2T Limit*
Bus Voltage
Board Temperature (Drive)
Digital Inputs
Digital Outputs

* When I2T Accumulation value exceeds limit, I2T fault occurs. Accumulation happens any time motor is running

Table 3-5: ACS Servo Drive/ACSI Remappable Registers

ACS STEPPER DRIVE REMAPPABLE REGISTERS
Analog Input (Default Register 1)
Analog Output (Default Register 2)
Actual Position
Actual Position Error (with encoder)
Actual Velocity
Profile Position
Profile Velocity
Profile Acceleration
Profile Deceleration
Bus Voltage
Board Temperature (Drive)
Digital Inputs
Digital Outputs

Table 3-6: ACS Stepper Drive Remappable Registers

3.3 Output Assembly

INSTANCE	ATTRIBUTE ID	BYTES	TYPE	VALUE	
Input (O->T) Instance 112	3	0	USINT	DRIVE COMMAND	
				VALUE	COMMAND
				0	Disable / Clear
				1	Enable / Clear
				3	Start Motion
				5	Home
				8	Software Stop (E Stop)
				9	Software Stop (E Stop)
				17	Stop Motion (Using Profile Decel
				21	Home Here
	1	USINT	Move Select (0-16)		
	2-3	NA	Reserved		

Table 3-7: ACS EtherNet/IP Output Assembly

INSTANCE	ATTRIBUTE ID	BYTES	TYPE	VALUE																																																																																																														
Output (O->T) Instance 113	3	0	USINT	<table><tr><th colspan="2">DRIVE COMMAND</th></tr><tr><th>VALUE</th><th>COMMAND</th></tr><tr><td>0</td><td>Disable / Clear</td></tr><tr><td>1</td><td>Enable / Clear</td></tr><tr><td>3</td><td>Start Motion</td></tr><tr><td>5</td><td>Home</td></tr><tr><td>8</td><td>Software Stop (E Stop)</td></tr><tr><td>9</td><td>Software Stop (E Stop)</td></tr><tr><td>17</td><td>Stop Motion (Using Profile Decel</td></tr><tr><td>21</td><td>Home Here</td></tr></table>	DRIVE COMMAND		VALUE	COMMAND	0	Disable / Clear	1	Enable / Clear	3	Start Motion	5	Home	8	Software Stop (E Stop)	9	Software Stop (E Stop)	17	Stop Motion (Using Profile Decel	21	Home Here																																																																																										
				DRIVE COMMAND																																																																																																														
				VALUE	COMMAND																																																																																																													
				0	Disable / Clear																																																																																																													
				1	Enable / Clear																																																																																																													
				3	Start Motion																																																																																																													
				5	Home																																																																																																													
				8	Software Stop (E Stop)																																																																																																													
				9	Software Stop (E Stop)																																																																																																													
				17	Stop Motion (Using Profile Decel																																																																																																													
	21	Home Here																																																																																																																
	1	USINT	Move Select (0-16)																																																																																																															
	2-3	NA	Reserved																																																																																																															
	4-7	REAL	Target 0 Position (mm)*																																																																																																															
	8-11	REAL	Target 0 Velocity (mm/s)																																																																																																															
	12-15	REAL	Target 0 Acceleration (mm/s²)																																																																																																															
	16-19	REAL	Target 0 Deceleration (mm/s²)																																																																																																															
	20-23	REAL	Target 0 Force (% of max)																																																																																																															
	24-27	DWORD	Target 0 Motion Type (see table 3-9: Motion Types)																																																																																																															
	28-31	DWORD	<table><tr><td colspan="16">Digital Output Control Register (Only available if output is not configured in TMI)</td></tr><tr><td>32</td><td>31</td><td>30</td><td>29</td><td>28</td><td>27</td><td>26</td><td>25</td><td>24</td><td>23</td><td>22</td><td>21</td><td>20</td><td>19</td><td>18</td><td>17</td></tr><tr><td colspan="16">Brake Output²</td></tr><tr><td colspan="16"> </td></tr><tr><td colspan="16">Digital Output Control Register (Only available if output is not configured in TMI)</td></tr><tr><td>16</td><td>15</td><td>14</td><td>13</td><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr><tr><td colspan="12"> </td><td>Digital Output 4¹</td><td>Digital Output 3¹</td><td>Digital Output 2</td><td>Digital Output 1</td></tr></table>	Digital Output Control Register (Only available if output is not configured in TMI)																32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	Brake Output ²																																Digital Output Control Register (Only available if output is not configured in TMI)																16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1													Digital Output 4 ¹	Digital Output 3 ¹	Digital Output 2
Digital Output Control Register (Only available if output is not configured in TMI)																																																																																																																		
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17																																																																																																			
Brake Output ²																																																																																																																		
Digital Output Control Register (Only available if output is not configured in TMI)																																																																																																																		
16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																			
												Digital Output 4 ¹	Digital Output 3 ¹	Digital Output 2	Digital Output 1																																																																																																			

Table 3-8: ACS EtherNet/IP Full Output Assembly

*Units can be configured in Revs or Degrees with a Rotary actuator setup.

3: EtherNet/IP & I/O CONNECTIONS

NAME	VALUE	DESCRIPTION
Absolute	0	Moves to location at profile defined for Target 0
Inc. Positive	1	Moves in the positive direction the distance specified by Target 0 Position at the defined motion profile
Inc. Negative	2	Moves in the negative direction the distance specified by Target 0 Position at the defined motion profile
Home	5	Executes a home move using the defined homing profile
No Action	6	Does not execute motion
Force	9	Press to Force (% current) (See TMI manual for complete description)
Inc. Positive Rotary	11	Moves in the positive direction the distance specified by Target 0 Position at the defined motion profile. If position is commanded past the maximum distance, current position is reset
Inc. Negative Rotary	12	Moves in the negative direction the distance specified by Target 0 Position at the defined motion profile. If position is commanded past the maximum distance, current position is reset
Velocity Forward*	13	Starts a velocity move in the positive direction at profile velocity and acceleration *Stepper drives require the motor to be stationary when this command is issued
Velocity Reverse*	14	Starts a velocity move in the negative direction at profile velocity and acceleration *Stepper drives require the motor to be stationary when this command is issued

*Upon completion, Velocity moves clear position and un-home

Table 3-9: ACS EtherNet/IP Motion Types and Descriptions

One of the explicit message objects is allocated as part of the predefined slave/adaptor connection set as defined in the EtherNet/IP specification.

The other may be allocated using the Unconnected Message Manager (UCMM) protocol.

These objects can be used to access ACS Parameters.

OBJECT ID	OBJECT NAME	PURPOSE
1	Vendor Identity	Identifies the drive as ACS Drive & Controller
4	Assembly	ACS Drive currently supports two (2) Output assembly objects and one (1) Input assembly object as specified by EtherNet/IP standard
71	DLR	Device Level Ring information (ACSI Only)
72	QoS	Quality of Service (ACSI Only)
245	TCP	ACS Drive TCP/IP Interface Object provides information about TCP/IP network interface such as IP Address, Network Mask, Gateway, Host Name
246	Ethernet Link	ACS Drive Ethernet Link Object provides information about Speed and Duplex connection

Table 4-1: Message Objects

4.1 Identity Object (01_{HEX} - 1 Instance)

The following tables contain the attribute, status, and common services information for the Identity Object.

INSTANCE	ATTRIBUTE ID	NAME	CIP DATA TYPE	DATA VALUE
Class (Instance 0)	1	Revision	UINT	1
Instance 1	1	Vendor number	UINT	1230
	2	Device type	UINT	43
	3	Product code number	UINT	9046: ACS Stepper & Servo 9058: ACSI Motor/Drive/Controller
	4	Product major revision	USINT	2: ACS 1: ACSI
		Product minor revision	USINT	37: ACS 1: ACSI
	5	Status	WORD	NA
	6	Serial number	UDINT	Unique 32 bit value
	7	Product name	SHORT STRING32	ACS Drive & Controller: ACS ACS Drive & Controller: ACSI

Table 4-2: Identity Object (01_{HEX} - 1 Instance)

4: EXPLICIT MESSAGING

Identity Object Common Services			
SERVICE CODE	IMPLEMENTED FOR		SERVICE NAME
	CLASS LEVEL	INSTANCE LEVEL	
01 _{HEX}	No	Yes	Get_Attribute_All
05 _{HEX}	No	Yes	Reset
0E _{HEX}	Yes	Yes	Get_Attribute_Single
10 _{HEX}	No	Yes	Set_Attribute_Single

Table 4-3: Identity Objects Common Services

4.2 Assembly Object

The following tables contain the attribute, instance, data mapping, and common services information for the Assembly Object.

INSTANCE	ATTRIBUTE ID	NAME	CIP DATA TYPE	DATA VALUE
Class (Instance 0)	1	Revision	UINT	2
	2	Max instance	UINT	129
Input (T->O) (Instance 100)	3	Refer to Table 3-2		
Output (O->T) (Instance 112)	3	Refer to Table 3-5		
Output (O->T) (Instance 113)	3	Refer to Table 3-6		
254 (0xFE)	4	Input only heartbeat ¹	Heartbeat	0
255 (0xFF)	5	Listen only heartbeat ²	Heartbeat	0
253 (0xFD)	6	Output Only heartbeat ³	Heartbeat	0

¹This instance allows clients (PLCs) to monitor input data without providing output data.

²This instance allows clients (PLCs) to monitor input data without providing output data. To use this connection type, an owning connection must exist from a second client and the configuration of the connection must match exactly.

³This instance allows output data without providing input data.

Table 4-4: Assembly Object (04_{HEX} - 6 Instances)

Assembly Object Common Services			
SERVICE CODE	IMPLEMENTED FOR		SERVICE NAME
	CLASS LEVEL	INSTANCE LEVEL	
E _{HEX}	Yes	Yes	Get_Attribute_Single
10 _{HEX}	No	Yes	Set_Attribute_Single

Table 4-5: Assembly Objects Common Services

4.3 DLR Object (47_{HEX} - 1 Instance)

Please refer to Volume 2: EtherNet/IP Adaptation of CIP v. 1.11, 4-4.3 for exact format and interpretation of attributes.

INSTANCE	ATTRIBUTE ID	NAME	DATA TYPE
Class (Instance 0)	1	Revision	UINT
Instance 1	1	Network Topology	USINT
	2	Network Status	USINT
	10	Active Supervisory Address	STRUCT
	12	Capability Flags	DWORD

Table 4-6: DLR Object (47_{HEX} - 1 Instance)

4.4 TCP/IP Object (F5_{HEX} - 1 Instance)

Please refer to Volume 2: EtherNet/IP Adaptation of CIP v. 1.11, 4-4.3 for exact format and interpretation of attributes.

INSTANCE	ATTRIBUTE ID	NAME	DATA TYPE
Class (Instance 0)	1	Revision	UINT
Instance 1	1	Status	DWORD
	2	Configuration capability	DWORD
	3	Configuration control	DWORD
	4	Physical Link Object Structure of Path size Path	UINT Array of Word
	5	Interface configuration Structure of IP Address Network Mask Gateway Address Name Server Name Server 2 Domain Name Size Domain Name	UDINT UDINT UDINT UDINT UDINT UINT STRING
	6	Host name Structure of Host Name Size Host Name	UINT STRING
	8	TTL Value (ACSI)	UINT
	9	MCAST Config (ACSI)	STRUCT, USINT, USINT, L3INT VDDA
	10	Select ACD (ACSI)	BOUL
	11	Last Conflict Detected (ACSI)	STRUCT
	12	EtherNet/IP Quick Consent	BOUL

Table 4-7: TCP/IP Object (0xF5_{HEX} - 1 Instance)

4: EXPLICIT MESSAGING

TCP/IP Object Common Services			
SERVICE CODE	IMPLEMENTED FOR		SERVICE NAME
	CLASS LEVEL	INSTANCE LEVEL	
E _{HEX}	Yes	Yes	Get_Attribute_Single
10 _{HEX}	No	Yes	Set_Attribute_Single

Table 4-8: TCP/IP Object Common Services

4.5 EtherNet/IP Link Object (F6_{HEX} - 1 Instance)

Please refer to Volume 2: EtherNet/IP Adaptation of CIP v. 1.11, Section 4-4.4 for exact format and interpretation of attributes.

INSTANCE	ATTRIBUTE ID	NAME	DATA TYPE
Class (Instance 0)	1	Revision	UINT
Instance 1	1	Interface speed	UDINT
	2	Interface flags	DWORD
	3	Physical address	USINT Array (6)

Table 4-9: Ethernet Link Object (0xF6_{HEX} - 1 Instance)

Ethernet Link Object Common Services			
SERVICE CODE	IMPLEMENTED FOR		SERVICE NAME
	CLASS LEVEL	INSTANCE LEVEL	
E _{HEX}	Yes	Yes	Get_Attribute_Single
10 _{HEX}	No	Yes	Set_Attribute_Single

Table 4-10: TCP/IP Object Common Services

4.6 QoS Object (48_{HEX} - 1 Instance)

The following tables contain the attribute and common services information for the QoS Object.

QoS Object (F6 _{HEX} - 1 Instance)					
INSTANCE	ATTRIBUTE ID	NAME	DATA TYPE	DATA VALUE	ACCESS RULE
Class (Instance 0)	1	Revision	UINT	1	Get
Instance 1	1	802.1Q Tag Enable	UINT	NA	Not Supported
	2	DSCP PTP Event	UINT	NA	Not Supported
	3	DSCP PTP General	UINT	NA	Not Supported
	4	DSCP Urgent	UINT	55	Get / Set
	5	DSCP Scheduled	UINT	47	Get / Set
	6	DSCP High	UINT	43	Get / Set
	7	DSCP Low	UINT	31	Get / Set
	8	DSCP Explicit	UINT	27	Get / Set

*For more details on these attributes, see Volume 2: EtherNet/IP Adaptation of CIP, Section 5-7.4 from ODVA.

Table 4-11: QoS Object (48_{HEX} - 1 Instance)

4: EXPLICIT MESSAGING

QoS Object's common services			
SERVICE CODE	IMPLEMENTED FOR		SERVICE NAME
	CLASS LEVEL	INSTANCE LEVEL	
01 _{HEX}	NO	YES	Get_Attribute_All
0E _{HEX}	YES	YES	Get_Attribute_All
10 _{HEX}	NO	YES	Get_Attribute_All

Table 4-12: QoS Object's common services

EtherNet/IP LED Indicators			
MOD	SYSTEM TEST	NET	SYSTEM STATUS
Off	No Power	Off	Not Powered / No IP Address
Steady Green	Module Operational	Steady Green	Connected
Flashing Green	Standby	Flashing Green	No Connections
Steady Red	Major Fault	Steady Red	Duplicate IP
Flashing Red	Minor Fault	Flashing Red	Connection Timeout
Flashing Red/Green	Self-Test	Flashing Red/Green	Self-Test

Table 4-13: EtherNet/IP LED Indicators

Appendix A: Troubleshooting

Troubleshooting

For every module connected to the EtherNet/IP system verify that:

1. Link state: MUST be UP (connected to a powered switch)
2. Duplex: MUST be Full duplex
3. Auto/forced: MUST be able to Autonegotiate the speed
4. Speed: MUST be 100Mbps
5. Errors: MUST be 0 for BOTH, In errors and out errors
6. CIP connection timeouts: should be 0
7. CIP connections: MUST be \leq 80-90% of the module's capacity
8. TCP connections: MUST be \leq 80-90% of the module's capacity
9. CPU usage%: MUST be \leq 80-90%
10. Missed I/O packets: MUST be NO missed packets i.e. missed I/O packets should be set to 0
11. HMI packets/sec: MUST be \leq 80-90% of the module's capacity
12. I/O packets/sec: MUST be \leq 80-90% of the module's capacity

SYMPTOM/TROUBLE	POSSIBLE CAUSE/RESOLUTION
No Ethernet Communication	<ol style="list-style-type: none">1. Check Ethernet Cable.2. Verify Ethernet Cable is plugged in securely.3. Incorrect combination of IP Address, Subnet Mask, Gateway. Check with your network administrator to determine correct combination.4. Try different Ethernet port on the drive.5. Verify RPI is not faster than 20 ms. Larger RPI required for larger # drives.
No EtherNet/IP connectivity	<ol style="list-style-type: none">1. Check your assembly configuration.2. Check if Ethernet communication can be established with the drive using PING utility.3. Check if Digital Outputs can be set/reset using EtherNet/IP O->T assembly.4. Advanced Troubleshooting Tip: Check Ethernet packets received and sent to the PLC from and to the drive.

APPENDIX A: TROUBLESHOOTING

SYMPTOM/TROUBLE	POSSIBLE CAUSE/RESOLUTION
Motion cannot be executed over EtherNet/IP	<ol style="list-style-type: none"> 1. Check if Drive Status, Drive Faults, Digital Inputs and Outputs can be queried over EtherNet/IP. If drive is not sending them, then troubleshoot Ethernet communication. 2. Check if drive is configured with EtherNet/IP communication mode using Tolomatic Motion Interface Software. 3. Check if Digital Outputs can be set/reset using EtherNet/IP O->T assembly. If the Digital Outputs of the drive cannot be set or reset using EtherNet/IP O->T assembly then troubleshoot the Ethernet communication. 4. Advanced Troubleshooting Tip: Try different EtherNet/IP scanner to interface with Tolomatic ACS Drive.
The I/O tree in RSLogix5000 has a yellow triangle on a ACS drive.	<p>Note following about the ACS drive:</p> <ol style="list-style-type: none"> 1. Only a single device is being lost? Example: Only a single device, a 36049666 (ACS Stepper drive & Controller), has a yellow triangle 2. Was it ever operating correctly or did this start recently? 3. How often does it happen? (constantly, once per hour, once per week?) 4. For how long does the anomaly last? (3 seconds, forever?) 5. How do you recover? (cycle power to device?, recovers by itself?) 6. What additional steps, if any, did you already take to troubleshoot? E.g. hardware changes 7. Contact Tolomatic support
ACSI fails to reconnect after a network disconnect in DHCP mode	DHCP Server's IP address lease time should be at least 24 hours. Any shorter time period could result in the drive failing to request an IP address after disconnection

Appendix B: ODVA Declaration of Conformity





DECLARATION OF CONFORMITY

Declaration of Conformity (DOC) Reference Information		
File Number:	11566.01	Part 1 of 1
Year Last Issued:	2016	
Length of Validity:	Continues in effect so long as the named entity (i) remains an ODVA Licensed Vendor for the ODVA technology(ies) defined by the above specification(s); (ii) continues to fulfill its user responsibilities as defined in its Terms of Usage Agreement with ODVA; and (iii) the CIP Identity for the Product(s) remains identical to those enumerated in this Declaration of Conformity.	

ODVA Licensed Vendor to Whom this DOC Has Been Issued		
Entity Name:	Tolomatic	Vendor ID: 1230

Overview of Compliant Product(s) Covered by This DOC	
(The list of product(s) covered by this DOC begins on page 2.)	
Network(s) Supported:	EtherNet/IP™
CIP Device Profile Supported:	Generic Device (keyable)
Classification of Declaration:	single product

Trademark(s) Approved for Use in the Labeling and Promotion of the Products Named Herein	
(Color variations of logo marks allowed pursuant to ODVA Brand Standards+Identity Guidelines. No abbreviation of word marks allowed.)	
Logo Marks	Word Marks
ODVA Certification Marks	
	ODVA CONFORMANT™
ODVA Technology Marks	
	EtherNet/IP™

This Declaration of Conformity, and approval of the use of ODVA's trademarks as shown above, has been granted by ODVA, Inc. based on its determination that the Product(s) identified herein fulfill(s) ODVA's standards for compliance with ODVA's specifications listed below at the ODVA composite Conformance Test (CT) level shown in parentheses:

The EtherNet/IP™ Specification (CT 13)

The Compliant Product or Product Family has been issued Advisory Declarations for adherence to ODVA supplemental standards and guidelines as follows:

Recommended Functionality for EtherNet/IP, Version 6.0, 22-October-2014 (PUB 70)

This Declaration of Conformity is issued on October 26, 2016 on behalf of ODVA by:



Katherine Voss, Executive Director

The list of product(s) covered by this DOC begins on page 2.

APPENDIX B: ODVA DECLARATION OF CONFORMITY

CIP Identity for Product(s) Covered Under this Declaration of Conformity (per CIP Identity Object)			
No.	Vendor Product Code (attribute 3)	Vendor Product Revision (attribute 4)	Vendor Product Name (attribute 7)
1	9058	1.001	ACSI Drive & Controller

Declaration of Conformity

File No.: 11566.01

Part 1 of 1 - page 2 of 2

© 2015 ODVA, Inc. The content of this Declaration of Conformity is public information and this Declaration may be reproduced in whole, but not in parts, without modification.



3600-4168_15

202204121128

Visit www.tolomatic.com for the most up-to-date technical information

CIP, Common Industrial Protocol, CIP Motion, CIP Safety, CIP Sync, CompoNet, CompoNet CONFORMANCE TESTED, ControlNet, ControlNet CONFORMANCE TESTED, DeviceNet, EtherNet/IP, EtherNet/IP CONFORMANCE TESTED are trademarks of ODVA, Inc. DeviceNet CONFORMANCE TESTED is a registered trademark of ODVA, Inc., www.odva.org

All brand and product names are trademarks or registered trademarks of their respective owners



MADE IN U.S.A.



Tolomatic™
EXCELLENCE IN MOTION

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV
= ISO 9001 =
Certified site: Hamel, MN

<p>USA - Headquarters Tolomatic Inc. 3800 County Road 116 Hamel, MN 55340, USA Phone: (763) 478-8000 Toll-Free: 1-800-328-2174 sales@tolomatic.com www.tolomatic.com</p>	<p>MEXICO Centro de Servicio Parque Tecnológico Innovación Int. 23, Lateral Estatal 431, Santiago de Querétaro, El Marqués, México, C.P. 76246 Phone: +1 (763) 478-8000 help@tolomatic.com</p>	<p>EUROPE Tolomatic Europe GmbH Elisabethenstr. 20 65428 Rüsselsheim Germany Phone: +49 6142 17604-0 help@tolomatic.eu www.tolomatic.com/de-de</p>	<p>CHINA Tolomatic Automation Products (Suzhou) Co. Ltd. No. 60 Chuangye Street, Building 2 Huqiu District, SND Suzhou Jiangsu 215011 - P.R. China Phone: +86 (512) 6750-8506 TolomaticChina@tolomatic.com</p>
--	---	---	---

All brand and product names are trademarks or registered trademarks of their respective owners. Information in this document is believed accurate at time of printing. However, Tolomatic assumes no responsibility for its use or for any errors that may appear in this document. Tolomatic reserves the right to change the design or operation of the equipment described herein and any associated motion products without notice. Information in this document is subject to change without notice.

Visit www.tolomatic.com for the most up-to-date technical information